

Version 9.2



Contents

Inti	roduct	ion		1
1	Insta	llation,	Updates & Troubleshooting	1
	1.1	Syster	m Requirements	3
	1.2	Initial	Installation	3
	1.3	Install	lation of an Update	3
	1.4	User S	Settings	3
	1.5	Flex-C	Customizing	4
	1.6	Troub	leshooting	5
	1.7	Office	e-Design	5
2	emp	ower ch	narts	6
	2.1	Inserti	ing charts	7
	2.2	Editin	g Chart Data	8
		2.2.1	Edit Charts	8
		2.2.2	Embedded Excel Table	8
		2.2.3	External Excel Data	9
		2.2.4	Additional Excel-Link Options	13
		2.2.5	Automatic Data Refresh after Opening	15
		2.2.6	Using Relative Paths	15
		2.2.7	Excel-Link Manager	15
	2.3	Adapt	ting Charts	17
		2.3.1	Data Labels	17
		2.3.2	Custom Data Labels	21
		2.3.3	Data Series	23
		2.3.4	Data	24
		2.3.5	Editing Category Labels	25
		2.3.6	Adapting Data Labels	25
		2.3.7	Coloring Chart Elements	26
		2.3.8	Connector Lines	27
	2.4	Chart	Properties	28
		2.4.1	Bar Width and Font Size	28
		2.4.2	Legend	29
		2.4.3	Chart Title	
		2.4.4	Performance Mode	31
		2.4.5	Manual Edit Mode	32
		2.4.6	Configuring Axis	33
		2.4.7	Same Scale and Size for all Charts	



		2.4.8	Change Customizing	35
		2.4.9	Reset Point Color and Borders	35
	2.5	Chart I	Features	36
		2.5.1	Growth Arrow	36
		2.5.2	CAGR Arrow	37
		2.5.3	Delta Line	37
		2.5.4	Value Line	37
		2.5.5	Insert Breaks	38
		2.5.6	Gridlines	39
	2.6	Conve	rting Charts	39
		2.6.1	Native PowerPoint Charts	40
		2.6.2	think-cell [®] Charts	40
		2.6.3	Converting Multiple Charts	40
	2.7	DeepL	Translation	41
3	Speci	al Char	ts	42
	3.1	Water	fall Chart	43
	3.2	Circle	Charts	43
	3.3	Line Cl	harts	44
	3.4	Butter	fly Chart	46
	3.5	Mekko) Chart	46
4	Ganti	t chart		49
	4.1	Inserti	ng Gantt charts	50
	4.2	Adjust	ing the date section	50
	4.3	Edit Sc	ale	51
	4.4	Adding	g phases or rows	52
	4.5	Embec	dded Excel table	52
	4.6	Excel-L	Link	53
	4.7	Multi-	Columnity	53
	4.8	Editing	g Phase Arrows, Task Bars and Milestones	54
	4.9	Add D	ata to the Scale Indicator	55
	4.10	Adding	g visualizations	55
		4.10.1	Holidays	55
		4.10.1	Date line	56
		4.10.1	Highlights	56
		4.10.2	Delays	57
		4.10.1	Connector	57
	4.11	Proper	rties	58



Introduction



Whether elegant Gantt charts, waterfalls or bar and line charts – with empower Charts, highly professional PowerPoint charts are created in no time at all.

Installation, Updates & Troubleshooting



1.1 System Requirements

In order to use empower Charts your system will need to fulfill the following requirements:

- Microsoft Windows 8, 8.1 or 10 or 11
- Microsoft Office 2013 or 2016, 2019, Office 365 Pro Plus and Enterprise E3 and E5 with PowerPoint and Excel installed
- .NET Framework (at least version 4.6.2 is required)
- PowerPoint may not be run explicitly as administrator

An installation of empower Charts will require about 70MB of hard drive space.

empower Charts support the following User Interface languages: German, English, as well as Spanish, French, Italian, Japanese, Dutch, Portuguese, Russian and Chinese (simplified) via machine translation. The language adapts to the system language of PowerPoint. In case the required language is not supported by PowerPoint, the default language is English.

1.2 Initial Installation

empower Charts can easily be installed by the user. If required, we can also provide a *per machine* installation package for software distribution.

1.3 Installation of an Update

Updates of empower Charts are initialized via a new installation package, which we will provide for you. If the installation is executed as part of the empower[®] Suite installer with user rights (per user), it is also possible to utilize an auto-update function. This automatically installs updates to empower[®] Suite products in the background.

1.4 User Settings

The **User Settings** are accessed via the **More** Button in the empower Charts menu (Figure 1). This ribbon group can be found on the Insert Ribbon tab and on the Start or empower Tab.




Figure 1: User settings via button More

Under Charts User settings, a new window opens up, in which you can change your settings regarding the customizing in use, the Live-Update-Mode, the display of point/series as well as your default Gantt region and your preference for preloading charts (Figure 2).

If your empower[®] version contains a specific customizing in addition to a flex-customizing (see chapter **1.5** Flex-Customizing), you can set a **Default Customizing** from the dropdown menu **(1)**.

In the dropdown menu of **Live Update Mode**, you can set whether the data displayed by an empower chart should update automatically, not at all, or if you prefer to receive an update notification if the underlying linked Excel data of the chart has changed **(2)**.

The third dropdown menu allows you to choose if **Points** or **Series** should be selected **first (3)**.

The fourth dropdown menu allows you to set the default region format for your Gantt chart (4).

More information can be found in Chapter 4 Gantt chart.

Uncheck the checkbox **Preload charts** in case you do not want to use the Preload-Function for all your charts by default **(5)**. The Preloading of charts improves the performance significantly and should be enabled.

More information regarding this function can be found in **Chapter 2.2.1 Edit** Charts

1.5 Flex-Customizing

In empower Charts a flexible customizing can be activated additionally during the customizing process. If this function is active, the user has access to a new flexible customizing that adapts to the current PowerPoint master.

When this customizing is used, colors and fonts of newly inserted or existing charts adapt to the current PowerPoint master. Also, the use of a very dark master is possible.

If your company has several, precisely defined empower Charts customizings and also use empower[®] Slides, empower Charts recognizes the corresponding PowerPoint master and automatically uses the matching empower Charts customizing when inserting new charts.

If this function should be activated, please contact your Onboarding & Professional Services Specialist Team or Customer Success Manager.

•	User settings X	
	User settings	
	Default customizing	
1	Customizing blue 1.1 (default) \sim	
	Live Update Mode	
2	Ask \checkmark	
	Selection	
3	Points first \checkmark	
	Default Gantt region	
4	English (United States)	
5	✓ Preload charts	
	OK Cancel	

Figure 2: Overview Charts User Settings



1.6 Troubleshooting

Using the **Feedback** function, you are able to report undesirable behavior of empower Charts directly to our support (Figure 3).



Figure 3: Send Feedback

After clicking **Feedback** a new window of your primary email application (Outlook or Lotus Notes) will open, already addressed to the right recipient. This email will contain a text file which specifies technical details of the error. Please add further details in the body of the email, such as what steps you took that led to the issue with empower Charts.

Your descriptions as well as the email's file attachment will aid us in replication of the error, analyze the case to conclusively deliver a near-term solution.

Please note:

In order to guarantee that all functions of empower Charts work without restrictions, please ensure that you have formatted your presentations in a **PPT** or **PPTX** file format.

1.7 Office-Design

empower[®] is orients itself to the Office Design of your device.

If the design is set on *Black*, the User Interface of empower[®] adapts automatically to it (Figure 4).

In comparison, you can see in **Figure 5** how the User Interface acts when set to the *White* theme.




Figure 5: User Interface within a white Office-Design

It is not necessary to restart the Office application, the change is visible immediately within empower[®].

empower charts

all

AL.

2.1 Inserting charts

All empower Charts functions are accessed via the <u>Home</u> or <u>Insert</u> tab in the PowerPoint menu. If you also use empower[®] Slides you have the possibility to use empower Charts directly from either the

Insert tab or directly via the empower[®] Slides ribbon tab. Depending on the empower[®] Slides version, there is either a normal button or a split button on the ribbon. In the case of a split button, clicking on the lower half of the split button will open the window with the chart types.

To insert a chart, click on **empower Chart** and select one of the available chart types (Figure 6).




Figure 6: empower Chart types

If you have previously selected a placeholder on your slide, empower Charts will insert the selected chart directly into the selected placeholder. To edit the chart – either its appearance or data – simply select the chart. An Action Bar will appear above the chart which will allow you to make the desired changes. Many formatting can also be done directly in the chart, e.g., coloring elements or moving data labels.

Once a chart has been inserted on a slide, you can move it freely on the slide by Drag & Drop. This works also if you select multiple charts and other shapes as well.

2.2 Editing Chart Data

2.2.1 Edit Charts

The Preload-Function loads charts as soon as you enter a slide, which significantly increases the performance around the selection of charts. Furthermore, charts and their elements already shine at Mouse-Over. This also speeds up the processing, as the desired element in the chart can be selected directly. If an element is placed above a chart, the use of it is only possible if the preload function is deactivated. Otherwise, the element disappears in the layer behind the chart and can therefore not be used or edited. The preload function can be deactivated and activated for a single chart via the eye symbol next to the upper right corner of a chart. Via the user settings, the preload function can also be switched off all together, but this is not recommended (loss of performance). **(Figure 7)**.

2.2.2 Embedded Excel Table

Similar to editing a standard PowerPoint chart, you can edit the data of the chart with the aid of an embedded Excel table.

To do so, click on the action point labeled **Edit Data** in the Action Bar above the chart (**Figure 8**). Alternatively, you can also instantly open the Excel table by performing a double click on the chart in order to edit its contents. The embedded Excel table will open as you are used to from native PowerPoint behavior.

This Excel has been enhanced to on the one hand load faster, but also offer easy access to functions such as the sorting, formatting and transposing of data, as well as inserting and deleting columns into the table (Figure 9). Position and sizing of this Excel window will be saved and reapplied when you re-open the Excel. If you wish to open the standard Excel, you can do so by clicking on the Excel icon to the top of the window.

Additional information on the characteristics of mekko and waterfall charts and their mini-Excel is accessible via a Help symbol. If you click on the Help symbol, a new separate window opens up. The information can be copied out if needed. (Figure 10).

You can now edit, add and remove data, as well as select the data range that is to be displayed by the chart.




Figure 7: Preload-Function



5	e 🗊					
8	Clipboard	nsert Delete		👬 🕱 🗗 Table	4 <u>9</u> : 122	
D6	• :	× v	f _x			
	А	В	С	D	E	F
1		2016	2017	2018	2019	2020
2	Series 1	100	200	150	200	220
			150	200	190	200

Figure 9: Editing data in integrated empower charts Excel




Figure 10: help symbol




You can directly format text in superscript or subscript in the Excel table by either selecting the desired text and press Ctrl + 1 or right-clicking the selected text and click on Format Cells to open the formatting options (Figure 11).

Font:	Font style:	Size:
Arial	Regular	11
Aparajita Arabic Typesetting Aref Ruqaa Arial Arial Black Arial Narrow	Regular Italic Bold Bold Italic	8 9 10 11 12 14
Underline:	Color:	
None	~	■ ✓ □ <u>N</u> ormal font
Effects	Preview	
Strikethrough Superscript Subscript Subscript		Arial
Strikethrough		

Figure 11: Formatting options for cells





In addition, it is possible to reorder the data displayed in the empower Chart data rows by row or column of the embedded Excel table. The external Excel window allows you to manipulate data in multiple ways (Figure 12):

- . Reverse rows (with formulas) (1)
- Reverse columns (with formulas) (2)
- Transpose table (values only) (3)
- Sort rows (4) .
- Sort columns (5)

By default, the initial sorting option is ascending. Clicking the button, a second time, will perform the opposite action.

Please note:

Where possible formulas contained in the table are preserved. The options for 'transpose' and 'sort' will convert any formulas contained in the table to values.

During a copy or cut procedure (cell contains a selection frame), an insertion of cells or columns is not possible.


2.2.3 **External Excel Data**


Apart from using embedded data, empower Charts also allows you to access external Excel data sources. In order to do so, click the action point Data and then on Excel-Link (Figure 13). A new dialog window will open in which you can either select a local Excel file or choose a file from your SharePoint.

Excel files, that are stored in SharePoint or OneDrive but have been as well synchronized locally can be linked locally. This mode is called the hybrid mode. It increases the performance of the links and enables relative paths. Furthermore, online available, linked files can also be opened from









PowerPoint. In addition, the Open Link Sources feature is now available for all Excel files.

If you want to open a local Excel file, select **Open local file (Figure 14)**. Granted you already have multiple Excel sheet opened, they will be displayed in a list. From here you can open the table with a single click. If you do not wish to include currently opened Excel sheets (or do not have any opened) click on **Browse...** in the drop-down menu. A Windows Explorer window in which you can select the desired file.

To open an Excel file from your SharePoint, select **Paste SharePoint URL** (Figure 15). Paste the link to the file into the entry field. To copy the link, simply click on **Open menu** to the right of the Excel file (this is the button with three dots) and copy the link from the menu that has opened, or by clicking on **Copy link**. After the insertion, click on the button labelled **Open link**. A connection to the selected file will be established. This may take a short period of time and may also require the entry of your SharePoint credentials.

MFA (Multifactor Authentication) is also supported in empower Charts. If you create an Excel-link with data from an MFA protected SharePoint location, a login window for entering your login data opens after selecting and opening the SharePoint URL (Figure 16).

empower Charts supports both SharePoint as well as files located on OneDrive or Microsoft Teams. It is recommended that you open the Excel file first, and then link it to the chart. The hybrid mode makes it possible not only to link files stored online. This makes it easier to work with locally stored files, as they do not have to be uploaded to process them as a chart.

As soon as you have opened an Excel sheet it will be positioned to the right of your PowerPoint window. Now select the data range you wish to include in the chart; empower Charts automatically recognizes data that is to be selected. Use the cursor to adapt the selection if required. A window opens in the Excel sheet which displays the selected range; a click on **OK** will confirm your selection (**Figure 17**).

talink to Excel				
the datasource of t	he chart with an excel range	e in a local file or t	from a SharePoint fil	e
Open local file	Paste SharePoint URI			
empower Exce C:\Users\Kathari	el.xlsx na\Desktop\empower Exce	ladax		
Browse				

Figure 14: Open local file

atalink to Excel k the datasource of th Open local file	he chart with an excel range in a local file or fro Paste SharePoint URI	om a SharePoint file
Open local file	Paste SharePoint UKL	
		Open link
	ease click on the "Open menu" button on the ri led ""; the name may differ depending on the the version either directly from the opened me	SharePoint version). Please copy the





Figure 16: Entering login data

	Α	В		С	D	E	F	
1								
2				А	В	с	D	
3		Point 1		10	20	60		30
4		Point 2		20	40	120		60
5		Point 3		30	60	180		90
6		Point 4		40	80	240		120
7		Point 5		50	100	300		150
8								
9			Belect	data range		?	×	
10			Jelect	uata range			^	
11					ange (incl. row-	and column he	aders):	
12		1	\$B\$2:\$	F\$7				
13					OK	Can	col	
14					UK OK	Can	cei	

Figure 17: Selecting data range in Excel source file



You can not only select an entire range, but also connect partial areas with each other (**Figure 18**). By that you can exclude certain columns from the source file from integration in charts. To do this, use your cursor to select a range, then hold down **Ctrl** and select another range. You confirm your selection by clicking on **OK**.

	A	В	C	D	E	F
1						
2			A	В	с	D
3	Pc	int 1	10	20	60	30
4	Po	int 2	20	40	120	60
5	Po	int 3	30	60	180	90
6	Po	int 4	40	80	240	120
7	Po	int 5	50	100	300	150
8						
9		Select	data range		?	X
10		Select	uata lange			~
11		Please	select the data i	ange (incl. row-	and column he	aders):
12		\$B\$2:5	SD\$7;\$F\$2:\$F\$7			
13				OK	Can	
14				UK OK	Can	cei

Figure 18: Selecting partial areas

Once you have selected the desired data range, you have the option to have the chart display the data by Series or Column. You can also define whether the data of this link should be updated each time the PowerPoint file is opened and whether a relative link should be created.

For details see chapters 2.2.5 and 2.2.6.

To link the chart with the Excel table, click on **OK** again (Figure 19). The data of the Excel sheet should now be displayed by the chart.

The desired range in the Excel table can also be copied using the keyboard shortcut **Ctrl C** and added to a native PowerPoint chart using **Ctrl V**. A window will appear where you can confirm that the previously native PowerPoint chart will be converted to an empower Chart and the copied data area will be applied (**Figure 20**). If the selected chart is already an empower Chart, the Copy & Paste function can be used as well. Areas copied by keyboard shortcut can also be copied to a table. For all variants, the Excel-Link is created automatically.

If you are unsure which areas of an Excel table have a link, you can select the option **Highlight linked ranges** in the ribbon under <u>insert</u> in the part empower Charts. This function highlights the linked range in the Excel table via a dashed border. Clicking on the border of this area opens a new window called **Link indicators**. This shows where the present Excel table is linked (**Figure 21**). However, it is important that both linked files, the Excel file and the PowerPoint file, must be saved. If a link has been made and the files have been saved, the highlight function can be used by clicking **Refresh**.

Link Excel Table		
Datalink to Excel		
Link the chart to an Excel range. The Excel file can be stored in the fil and column headers for the data!	le system or in Sharepoint/Onedrive. Make sure to also	link rov
Excel file:		
Example Data.xisx $ imes$		
Excel range:		
='Stacked Column'!\$A\$1:\$E\$5 🖌		
Series		
by Rows		
O by Columns		
Refresh data automatically on open	•) N
Enables or disables automatic refreshing for Excel links when	n opening the presentation.	
Use relative path		
	OK Canc	

Figure 19: Setup of Excel-Link



Figure 20: Link through shortcut

				🕤 Rei	nove all o
ile 🍸		Slide no.	\forall	Linked to	Status
:\Users\VeraH\Deskto	p\Presentation1 [Autosaved].pptx	2		=Tabelle1A1:F6	940

Figure 21: Link indicator

Links to shapes can be established as well. To do this, insert the desired shapes into your presentation. Then you can select the desired cells in the Excel table to link to the presentation. These cells can then be copied to the shapes using **Ctrl C** and **Ctrl V**. Once you have inserted the desired cells, it is possible to create Excel-Links by clicking on the button next to it (**Figure 22**). This process creates multiple links at the same time and each shape gets its own link. This function can also be used if the fields selected in the Excel table contain text only.

You can also link Excel objects (Range, chart or shape) as images to PowerPoint. The selected Excel object from the Excel table will be inserted as a vector graphic on the slide. The image is automatically locked in aspect ratio and will not be distorted if its size is being adapted manually.

The Excel object can either be placed manually on a slide or with a click on a placeholder.

An Excel object that is inserted as an image to PowerPoint can be a Range/table, an Excel chart or a shape (Figure 23).

Please note:

Excel ranges/tables that are linked as images to PowerPoint are also compatible with the live update mode (see chapter User Settings) and the image on the slide will be updated according to the linked Excel data. The live update does not work for Excel charts or shapes that are linked as images to PowerPoint due to technical limitations of Excel.

Alternatively, Excel-Links can also be created directly from Excel. To do so, there are ribbon buttons in Excel on the Insert tab (Figure 24). It can be both a new and an existing PPT target object linked. Native PPT charts can also serve as a target and are directly converted when linked.

To create a link to a PPT object, simply click **Link to existing object** and select the desired object in PowerPoint (Figure 25).

empower[®] automatically recognizes whether a chart or only a table or text can be linked based on the data selection in the Excel file.




Figure 22: Excel-Link at shape





Maps PivotChart	Link t	b to L	ink to ing object	3D Map ~
Link new chart in PPT				
Waterfall	$cT_{\rm c}$	-21	fra:	Ъ.a.
Waterfall Bar	\mathbb{P}^{2}	77	Ξ.	Ξ.
Column	ah	1111		dill.
Bar	-			Ē
Line	\sim	≫⁄-		
Mekko		14		
Circle	0			
Gantt				
Other	19 ⁵³	••••	*	

Figure 24: Create link in Excel




Figure 25: Link to PPT object

More information can be found in **Chapter 2.2.4 Additional Excel-Link** Options.

If you have linked a data chart to an Excel table object via an Excel-Link, the linked data range and thus also the chart automatically grow and shrink when the linked Excel table becomes larger or smaller. If rows/columns are hidden in linked Excel files, they are transferred hidden to PPT. Thus, this data is still available when breaking a link.

2.2.4 Additional Excel-Link Options

With the help of empower Charts, in addition to data charts, tables and text boxes can be linked to Excel files. This allows you to link entire reports to Excel files. In principle, the same procedure is followed as with data charts.

To link a table to an Excel file, you can create similar to data charts a link between your PowerPoint table and an Excel file. First select the PowerPoint table then use Excel-Link from the Ribbon and then Create Excel-Link (Figure 26). You can also right click on a PowerPoint table and select Create Excel-Link.

Here, as with charts, a new window will open where you can open an Excel file (local or on a network drive) or from an Excel file from your SharePoint/OneDrive (Figure 27). The selected Excel file is opened and displayed. You then have the option of selecting the cell range to be linked to the PowerPoint table. Here you can also connect partial areas and exclude certain columns. Files with merged cells can be opened and linked as well.

When linking tables, formatting (text color, cell fill color) can optionally be adopted. To do this, you can simply **right-click** or click on the **Create Excel-Link (table)** option via **Excel-Link**. Once the file is linked, you can copy the colors from Excel (Figure 28).

🗟 Excel-Link 🗠

- 🕀 Create Excel-Link (chart)
- C Update all Excel-Links
- Excel-Link Manager
- Highlight Excel-Links on slide

Figure 26: Create Excel-Link




Figure 27: Select file

Link Excel range		×
Datalink to Excel Link the table to an fixed range. The fixed file can be stored in the file system or in SharePoint/OneDrive. Make sure t and column headers for the datal. An fixed link can also be created from within fixed.	to also link re	DW
Excel file:		
Tabelle.xisx 🥒		
Excel range:		
=Sheet1ISAS4:SCS5 🕜		
Use Excel colors		/es
Colors cells and text according to the colors set in the Excel worksheet.	-	
Refresh data automatically on open	•	No
Enables or disables automatic refreshing for Excel-Links when opening the presentation.		
Use relative path	•	No
Look for the link source relative to the presentation		
OK	Cancel	

Figure 28: Maintain colors from Excel



Please note:

For tables, the PowerPoint table will always be adjusted to match the Excel cells, but there is no automatic adjustment of column widths or cell formats.

In addition to tables, you also have the option of linking any text boxes as well as individual words or text passages with Excel files.

To do this, you can use the same procedure as for tables, such as linking a title placeholder to an Excel cell.

To link individual words or longer text passages, you can select the desired area and click on **Create Excel-Link (text)** in the right-click context menu **(Figure 29)** or via **Excel-Link**in the Ribbon.

Linked shapes, tables and texts have hover icons on the right side to update the object, edit the link, open the source, and delete the link (Figure 30).

In the Excel-Link Manager, you can define the desired decimal separator and the

thousands separator when linking tables and texts. To do this, you can simply click

on the **Excel-Link Manager** and use the **Configure Separators** to change the separators by clicking on **Manual** so that they are displayed differently from the Excel table (**Figure 31**). If these are set to **Automatic**, the settings are taken from Excel.

	a	<u>H</u> yperlink		-
	Ĵ	S <u>e</u> arch "quis urna"		
		Synonyms	•	
Cl:-l. +l-l ++	5	Tran <u>s</u> late		-
Click to add text	4	Format Text Effects		
Lorem ipsum dolor sit amet, c	2	F <u>o</u> rmat Shape		Ĭ
Maecenas porttitor congue m	ţ⊃	New Comment	∋d	
pulvinar ultricies, purus lectus commodo magna eros quis ur	()	Create Excel-Link (text)		

Figure 29: Link text

	North	West	South	East
	36	80	69	108
Product A	12	18	5	52
Product B	11	32	25	34
Product C	9	21	31	17
Product D	4	9	8	5

Figure 30: Hover icons

🕂 Configure Separators			×
Configure Separators Apply number format separat	ors for linked shap	es and tables.	
Automatic			
Manual			
Decimal separator		\sim	
Group separator	1	\sim	
The Excel links have to be refr take effect.	eshed in order for	the changes to	
	ОК	Cancel	

Figure 31: Configure Separators

2.2.5 Automatic Data Refresh after Opening

If you have linked a chart with an external source of data you have the ability to set the chart to update its data once its presentation is opened (locally or from empower). Toggle the switch **Refresh data automatically on open** to either **Yes** or **No** accordingly (Figure 32).

🚦 Link Excel Table	×
Datalink to Excel Link the chart to an Excel range. The Excel file can be stored in the file system or in Share and column headers for the data!	point/Onedrive. Make sure to also link row
Excel file:	
Mappe3.xlsx ×	
Excel range:	
=Tabelle1!\$D\$7:\$F\$13 🖋	
Series	
by Rows	
by Columns	
Refresh data automatically on open	Yes
Enables or disables automatic refreshing for Excel links when opening the pre	sentation.
Use relative path	No No
	OK Cancel

Figure 32: Data refresh settings

2.2.6 Using Relative Paths

If you have linked a chart with an external data source you can set to use **Relative Paths (Figure 33)**. Instead of using an invariable path this setting will allow use of a relative path of the respective PowerPoint and Excel file. If you wish to send a PowerPoint or Excel file (the charts in the PPT are linked with the Excel file) as an email attachment, their recipient is able to save these files to their local hard drive. Even though the connection to the chart refers to a path that is inaccessible to this recipient, a link to the Excel data can be established via the relative path, provided the files are saved in a similar fashion. If, for example, the original files have been placed in the same folder, it is necessary that these files are also placed in the same folder when saved locally.

Datalink to Excel	
	file can be stored in the file system or in Sharepoint/Onedrive. Make sure to also link ro
Excel file: Mappe3.xlsx ×	
Mappes.xisx 🔨	
Excel range:	
=Tabelle1!\$D\$7:\$F\$13 🖌	
Series	
by Rows	
by Columns	
Defects data and an indiana	
Refresh data automatically on open	hing for Excel links when opening the presentation.
chables of disables automatic refres	ning for Excertances when opening the presentation.
Use relative path	
and a second	he presentation
Look for the link source relative to t	

Figure 33: Excel-Link options

Please note:

If you activate the function to use Relative paths you are required to ensure that the path of the Excel file does not change.

2.2.7 Excel-Link Manager

If you use multiple Excel-Links in your presentation, you can click on **Excel-Link** and the **Excel-Link Manager** in order to manage all links (**Figure 34**). This button is located on the top right of the empower Charts section. Excel-Links can be highlighted here as well. There is a new window opening up, when hovering through the loons in the Excel-Link Manager.

As soon as you have opened the Excel-Link manager, you will see an overview of all Excel files that are linked to elements in your presentation (Figure 35). On the left is listed, on which slide the linked element is located. In addition, the linked element is highlighted on the respective slide. The save location of the Excel file is also specified, which you can open by simply clicking on the path. If you select multiple items, you are able to update all elements at once or delete their connection.



Figure 34: Open Excel-Link Manager



Figure 35: Excel-Link Manager

Conversely, you can also go to a slide, select via the Excel-Link manager **Highlight Excel-Links on slide**. This will show you all the objects that are linked (Figure 36).

You can also exchange the original file for single or multiple links at the same time. To do this, simply select the corresponding links and click **Edit Link**. This gives you the option to directly switch links pointing to a particular file to another file if it has the same structure. Simply select the file you want (Figure 37).

This works even if the Excel files are stored in OneDrive or SharePoint.

To maintain consistency, the new Excel-Link Manager offers the feature **Rescan Presentation**. This gives you the opportunity to check the currently opened presentation for existing links and displays for instance all linked objects including sketch of their position on the respective slide (Figure 38).

Depending on the type of linked source, different icons are displayed in the Excel-Link Manager (Figure 39).



Figure 36: Show Excel-Links on slide

ner s	elect an aiready open Excel file from the list or choose one on the file system.	
×I	Mekko.xlsx T:\Temp\Studenten\für ST\mio CHARTS\Mekko.xlsx	
	Browse	



	ink Menager							_	0
cei	Unk Manaj	Postie	man slide						
C	Refrech all lie			🖞 Ealt Enk 🛛 🔯 Open in Eacel 🛛 🎽 Bro	a Son Bulk Action -	C Resan Presentation			
	Sidem. +		-	Linked to	Path-type	Fafiniti	Last Update	914	***
	2		Marineldo Produkt A, Produkt B,	T//Tempi/Studenten/Lir STymio-CHARTY Tubulur/ISCS8.50513	Abolde	~ Manual	18 hours ago	e	ø
	5		Table North West South East	T/,Nengt/Studentent/Kir ST/mio CHARTS + Telefic/TSCS8-50513	Weldo Absolute	~ Manual	an hour ago		•



Figure 38: Overview of element and position

Excel-Link Manager




Figure 39: Example different icons

2.3 Adapting Charts

2.3.1 Data Labels

Click on **Data Labels** in the Action Bar in order to change properties as well as data values and labels (Figure 40).

Data Labels \land	Series ^	🖏 Properti
Show Column S	Sums	
🛓 👷 Show Negative	Sums at Other	End •
Primary Value Ax	is	
Number Format	Use Excel For	mat 🗸
Scale	x1	\sim
Data Labels		
Show Data Labe	els	
🖐 Automatic Back	ground	
🖌 Auto Connecto	r Lines	
Value	~	Custom
PReset Data Labe		
Figure 40: Data labe	IS	


When working with column and bar charts, you have the possibility to decide if you wish to display the **column sums** in the chart. When working with grouped charts you can activate **Show data labels outside** instead. Values are then not displayed within the column or bar, but outside of it (**Figure 41**).

Show data labels outside Number Formats Use Excel Format x1 Data Labels Show Data Labels Auto Label Backround % % % % Paset Data Labels filters Data Labels

Figure 41: Show data labels outside



Using **Show Data Labels**, the data labels in the chart can be switched on and off globally. If these are turned on, you can set in the drop-down list below what you want the caption to display. If you want to display the values of the chart as percentages or as a combination of value and percentage value, you can select the corresponding entry (Figure 42).



More information can be found in Chapter2.3.2 Custom Data Labels.

If data points are very small, so that the data label would not be properly readable, data label backgrounds for those particular labels are automatically displayed to allow better readability (Figure 43).

Furthermore, you can reset the settings of the data label to the original format, please click reset **Data Labels**. This resets both formatting and the position of the data labels.

Background visibility for data labels can be controlled manually if required in a chart. By default, **Auto Label Background** is enabled, but can be disabled if necessary (**Figure 44**). If the automatic data label is deactivated, you can select individually for each data label whether a background should be displayed or not. This setting does not have to be applied for an entire chart.






Figure 43: Data label background





PReset Data Labels

Figure 44: Auto Label Background



You can select multiple data labels at once and format them all at once. To do so, either press the key **Ctrl** and select all desired labels or select the first label, then press the key **Shift** and select the last label so that the desired range of labels is selected at once.

Data labels on a chart are connected via connector lines when they are dragged out of their default position (Figure 45).

By default, **Auto Connector Lines** is enabled, but can be disabled for the entire chart if necessary (Figure 46).

If the automatic connector lines are disabled, you can select individually for each data label whether a connector line should be displayed or not. This setting does not have to be applied for an entire chart.




Figure 45: Chart with connector lines




💂 💂 Show Negative Sums at Other End 🌘

Primary Value Axis



Data Labels



PReset Data Labels

Figure 46: Default setting Connector Lines




Figure 47: Set connector lines individually for single data labels


When working with column or bar charts, you additionally have the option to display negative column or bar sums at the other end of the column or bar. Just activate **Show negative sums at the other end (Figure 48)**. To do so, you need to activate the option **Show column sums**.

🖏 Properti - Data Labels 🗠 Series ^ Show Column Sums Show Negative Sums at Other End Primary Value Axis Number Format Use Excel Format Scale х1 Data Labels Show Data Labels 👎 Automatic Background / Auto Connector Lines % Custom...

PReset Data Labels

Figure 48: Show negative sums at the other end

Data Labels 🔿	Series ^	🔅 Properti
Show Column S	Sums	
📱 📕 Show Negative	Sums at Other I	End •





Show Data Labels	
🐺 Automatic Background	
丫 Auto Connector Lines	
Value \vee	Custom

🗜 Reset Data Labels

Figure 49: Set number format (1)

By default, the **numeric format** of the chart is based on the Excel chart it is linked to. Using the respective drop-down menu, you can change the numeric format (e.g. to change from a European to an American radix format) (Figure 49).



You have the option to select predefined formats or create one of your own (Figure 50). If you click on Custom Number Format a window will open in which you can select the desired format or define your own in the entry field provided. Here, you are also able to display a specific percentage of a chart.

Use Excel Format
1.000
1.000,0
1.000,00
1.000,000
1,000
1,000.0
1,000.00
1,000.000
1234567890 = 1''234'568
1234567890 = 1''234'57
1234567890 = 1''234'5
1234567890 = 1''235
1234567890 = 1''23
1234567890 = 1''2
1234567890 = 1"
Custom Number Format

Figure 50: Set number format (2)

Finally, you are able to change the scaling of values in order to better display large numbers.


2.3.2 Custom Data Labels

The entry **Custom Data Labels** in the drop-down list for data labels can be used to set the data label specifically (Figure 51).

Show Column S		ther Ei	• nd •	
Primary Value Ax	is			
Number Format	Use Excel Format \sim			\sim
Scale	x1			\sim
Data Labels				
Show Data Labe	els			D
🐺 Automatic Back	ground			D
// Auto Connecto	r Lines			D
%	\sim	Cu	ustom	
🕈 Reset Data Labe	ls			
📕 Data Labels \land	Serie	s ^	🔅 Pro	perti

Figure 51: Custom data label

When you select this entry, a window appears in which you can set which information should be displayed in the data labels (value, percent, series name) (Figure 52). Optionally, you can display the value absolutely, and for percentages you can define the number of decimal places.



For percentages, you can also define the reference for the calculation, which value/series should correspond to 100%. For example, if you want to create a chart that should represent a target-actual comparison, this function is very helpful. You can then set the reference for the percentage calculation to the series that represents the target value. In the example, the line is the reference for the percentage calculation in the bars (Figure 53).

For this purpose, the type of the target can be changed to line within the Series function. This line must now be displayed on its own axis, which has the same parameters as the other. The axis can also be selected under Series. The value of the data labels must then be adjusted manually. This is done via data labels (Value - Custom) (Figure 54). Here, the percentage value can be determined by adding and selecting the percentage value to what extent the goal has been achieved. All you have to do is adjust the reference. The result is a chart by representing a target-actual comparison.

Figure 52:Configuration for custom data labels




Figure 53: target-actual comparison

Custom Data Labe	15		
Primary labels Preview			
iciicii	500		
	71%		
+ Add ~		Expand all	Collapse al
Value			\sim ×
Separator (ne	w line) 🗸 🗸		
Percent			$\wedge \vee \mathbf{x}$
Reference	Target ~		
Decimal places	0		
Brackets	Round ~		

Figure 54: Custom Data Labels



2.3.3 Data Series

Clicking the **Series** button in the Action Bar allows you to either select the axis, type or color of each series of a chart. In the **Axis** section you are then able to set if the series is to orientate itself to the primary of the secondary axis. When using bar charts, you can also click **Type** to set if the data series is to be displayed as a line or a bar. This way a hybrid chart can be compiled using lines as well as bars. In addition, you have the option to activate or deactivate visibility of a series. If you do not wish to display a certain data series in your chart, simply uncheck the option **Visible**. Additionally, you are able to set not only a different **Fill Color** per series but also a different specific color per series when negative figures are used (**Figure 55**).

Moreover, a data chart can be configured so that colors will be adopted from Excel (Figure 56). The closest CD-compliant color of the current empower customizing is used. This also works for any complex conditional formatting in Excel.

Please note:

If an external link to a PowerPoint table is created, text that is formatted with superscript or subscript is taken over and displayed correctly in the chart.

If an external link to a PowerPoint text is created, text that is formatted with superscript or subscript is not displayed with superscript or subscript in PowerPoint due to a technical limitation in PowerPoint.

Convert this chart V				
Series	On top of waterfall	Fill Color	Fill Color if negative	
Series 1		<u>⟨</u> , ∨	⊘n ∨	
- Lin	ies ^ 📑 Da	ta Labels 🔿	Series ^	





Figure 56: Apply Excel colors



For all data charts (except point and bubble charts), a row or column, depending on the series reference corresponds to a series.

For scatter and bubble charts, the series assignment of the points takes place via an extra column (Group/Series). If you click **Edit Data** in such a chart, you can use this column and similar entries to reach a grouping of their data points (**Figure 57**).

This gives you the opportunity to differentiate the groupings in terms of color and legend (Figure 58).

È 📩 📩 🖹 🎽 🔛 🦗 Delete Format 4 €= "**1**" fx B **B**4 D C Label X-Axis Y-Axis 75 100 Series 1 50 Series 2 30 4 Series 3 6 8

Figure 57: Grouping of series




Figure 58: Format grouping

Please note:

If you want to create a mixed chart (bars and lines) and work with two axes, empower Charts automatically ensures that bars are only on one of the two axes. The bars would otherwise overlap and lead to misinterpreted representations.

2.3.4 Data

When opening the function, **Data** you have the possibility to further customize charts in relation to their series or categories (Figure 59).




Figure 59: Adjust data

The direction of the waterfall bar can be set up individually. You can choose If the chart should start from the left or right.

Here you can set the serial reference of your chart either by rows or by columns of your Excel data.

empower will automatically apply these adjustments to your chart.

You can also use **Data** to create an **Excel-Link**, which automatically adjusts your chart to the data of an external file. You can also delete an used

empower [•] charts

Excel-Link. If you click on **Excel-Link** you will get to the source of the chart and can adjust the table instead of just adjusting the chart in the presentation.

If you wish to remove the link to the external data source, click on the action point **Break link** in the Action Bar above the chart. If you want to edit the Excel-link, select the option **Edit link (Figure 60)**. With a click on **Open link source** you can directly open the linked source and adjust it for the chart.

2.3.5 Editing Category Labels

For the category labels, you have the option to customize them (Figure 61).

Long category labels are automatically wrapped (Figure 62). If you want to create text breaks manually, you can do this directly in Excel by pressing Alt and Enter.

You can also change the text orientation or the vertical text orientation, so that the text remains manageable and does not overlap even with longer labels. To avoid such behavior, you can align the text at the top, center, or bottom.

2.3.6 Adapting Data Labels

To change the design of data labels in terms of caption or position, please select the desired element.

An overlay will appear in which font size and color may be adapted in accordance to corporate design. You can also select text formatting options such as **Bold**, **Italics**, and **Underlined** (Figure 63). Multiple elements of data labels can be selected and edited simultaneously. To do so, select the desired elements while holding **Ctrl**.

If you wish to change the position of the element, move it via Drag & Drop. The position of data labels automatically adapts to its environment, e.g. when they would otherwise overlap. To deactivate this automation, you are able to move the data label via Drag & Drop while holding the **Ctrl button** on your keyboard in order to place the element to its desired location. In order to




Figure 60: Edit Link

100 $12 \xrightarrow{} A^{*} A^{*} = ||A^{*} |$

Figure 61: Adjust category label




Figure 62: Align text




Figure 63: Formatting options




move data labels exclusively horizontally and vertically, hold the **Shift key** while moving the element to the desired location. Even after larger changes to the underlying data displayed by the chart, the relative position of this manually moved data label will remain the same.

You also have the option to add a prefix before or a postfix after the data labels of a chart. Click on a data label, and the click either the **Prefix** or **Postfix** button (Figure 64). You can now enter your text and then click OK. For example, should you wish to remove the prefix, you can do so by selecting one of the data labels and after clicking the prefix button select **Clear**. A removal of the postfix is performed in a similar manner.

You can format prefix or postfix texts in superscript or subscript. To do so, use \sup{text} for superscript or \sub{text} for subscript and replace {text} with your prefix/postfix text you want to format with superscript or subscript. A tooltip also gives information on how to use superscript or subscript (Figure 65).

The data labels can also be adjusted in their arrangement. To do this, the labels in the desired empower chart must be selected. By clicking on **Change Text Direction** the orientation of the label can then be adjusted. Individual labels within a chart can also be changed via this function **(Figure 66)**.



2.3.7 Coloring Chart Elements

empower allows you to change chart colors of a series as well as of a single element while keeping in line with corporate design. To do so, select the desired element of a series and then click the **Color button** to select a color (**Figure 67**).

If the selected element is part of a series, all elements of this series will adapt automatically. If you wish to change just a single element, do so by selecting the element with a double click and then make the desired changes (Figure 68).



Figure 64: Add prefix or postfix



Figure 65: Tooltip on how to format prefix or postfix text




Figure 66: Change text direction



Figure 67: Changing color of series




Figure 68: Changing color of series



In addition, you can add shading to empower chart elements by selecting the element and clicking the **Shading button**. Now you can select a pattern **(Figure 69)**.

Additionally, you can set a border color for a selected series or specific series elements (Figure 70) (1). If a border color is selected, you can choose a dash style (2) and the weight of the lines (3). All changes for your current chart can

be revoqued with a click on the button Reset (4).




Figure 69: Add or change shading





Figure 70: Select border color

Please note: The default setting for borders is *No border*. Depending on your empower[®] version, borders might be set for specific chart types by default. In both cases, the border settings can be adjusted according to your needs.

2.3.8 Connector Lines

Data labels on a chart are connected via connector lines when they are dragged out of their default position (Figure 71).





By default, **Auto Connector Lines** is enabled, but can be disabled for the entire chart if necessary (Figure 72).

If the automatic connector lines are disabled, you can select individually for each data label whether a connector line should be displayed or not (Figure 73). This setting does not have to be applied for an entire chart.

2.4 Chart Properties

2.4.1 Bar Width and Font Size

Click on **Properties** in the Action Bar in order to adjust bar width and font size **(Figure 74)**.

Data Labels \land	Series ^	र्ट्रे Properti		
👔 Show Column Sums				
$\mathbf{I}_{\mathbf{x}}$ Show Negative Sums at Other End \bullet				
Primary Value Axis				
Number Format	Use Excel For	mat 🗸		
Scale	x1	\sim		
Data Labels				
- Show Data Labe	els			
💷 Automatic Background				
🖌 Auto Connector Lines 🛛 🗾				
Value	~	Custom		

PReset Data Labels

Figure 72: Default setting Connector Lines



Figure 73: Set connector lines individually for single data labels




Figure 74: Set bar width and font size

Change the bar width by manipulating the slide bar. Below you have the possibility to change the font size in the same manner. To apply the same font



size settings to all charts contained on the slide click **Apply font size to all charts on slide**.

2.4.2 Legend

In order to display a legend for your chart, click on **Properties** in the Action Bar and then on **Show Legend (Figure 75)**.

 Font Size
 Bar Width (%)

 10
 A*
 A*

 10
 Bar Width (%)
 B5%

 11
 Fontscale
 >

 11
 Vertical (Value) Axis
 >

 11
 Horizontal (Category) Axis
 •

 11
 Show Chart Title
 •

 12
 Show Chart Title
 •

 11
 Change Customizing
 •

 12
 Reset Point Colors and Borders
 •

 12
 Manual Edit Mode
 •

Figure 75: Show legend




Figure 76: Define position of the legend




Figure 77: Change series color via legend

Here you can choose if you want the legend to be inserted to the **Right**, **Top**, **Left**, **Bottom**, **In Chart Left**, **In Chart Right** or **Outside Chart (Figure 76)**. Once you have selected a position, the legend will be inserted accordingly.

A click on the legend allows you to adjust the design (font size, font color, etc.) for a uniform appearance (Figure 77).

To remove the legend, simply open Properties and in **Show Legend** select **None**.

You can move and adjust the legend at any time. You can also change the area where the legend is to be displayed by dragging with the mouse. The legend can also be placed outside the chart. Furthermore, you can extend the legend to show all series in a row or customize, how many series shall be displayed in a row. In addition, you can also change the order of the series items as desired.

To change the horizontal orientation of the texts of the In-Chart legend (left, center, right), you can simply click on the legend and arrange the contents accordingly (Figure 78).





Figure 78: Horizontal alignment

2.4.3 Chart Title

There is the possibility to enter a title to a chart. This can be activated or deactivated individually for each chart as required (Figure 79). The keyboard can also be used by pressing the key **Del** to delete the title. If the title is activated for a chart, the default settings of the formatting are used. Nevertheless, the title can be formatted individually. For this purpose, the manual editing mode (see in 2.4.5 Manual Edit Mode) can be used. The editing of the text via the keyboard is possible with the usual key combinations, for example to display the title bold or italic.

Displaying the title in multiple lines is also supported (Figure 80). The title can be moved and positioned freely via Drag & Drop. If the selected chart is to receive a legend, it is inserted next to the title, but can be positioned independently as described in 2.4.3 Chart Title.

The setting to give the chart a title is supported by all chart types.



1	2	\sim	A ^	A	e) ~
[]	arttit This T onge	itle i		ne ro	w.
			ОК		

Figure 80: Chart Title longer than one row

Subscript or superscript can be used in chart titles. To do so, use **\sup{text}** for superscript or **\sub{text}** for subscript and replace {text} with your text you want to format with superscript or subscript.

2.4.4 Performance Mode

Basically, when working with empower Charts, a good performance is ensured, so that the user can efficiently create and edit charts. The performance mode is therefore only triggered if individual data charts have a lot of content or if the loading of the data chart takes longer for technical reasons. The message to be able to switch to performance mode therefore only appears in some data charts. Excluded from this are data charts that are located on the first slide of a presentation. By clicking on **Switch to performance mode** in the navigation bar you can switch to the same (**Figure 81**). In this mode, individual data is then scaled down, which means, for example, that oblique texts can be distorted.

If you do not want to switch to performance mode and do not want to be asked for it for this data chart in the future, click **Do not show again**. The performance mode is used for better and faster processing of these data charts. After editing the data chart in this mode, however, it should be left again. This works via the **properties** in the action bar by clicking **Leave Performance Mode** (Figure 82).








Figure 82: Leave Performance mode



2.4.5 Manual Edit Mode

Once you are content with the design of your chart, you can still make manual changes at a later stage if absolutely necessary. To do so, activate **Manual edit Mode (Figure 83)**. In doing so all empower Charts functions are deactivated and you can now implement all manual changes to your chart.




Figure 83: Manual edit mode

Please note:

Some formatting may be lost in the process after you have deactivated Manual edit mode.

Manual edit mode should not be used for manipulation of the chart in normal use as almost all changes made so far will be reverted; more fundamental changes may lead to empower Charts no longer working correctly for this chart.

In order to gain an overview of the different changes that occur when leaving Manual edit mode, it is necessary to distinguish between Gantt charts and data charts:

Gantt charts

After leaving Manual edit mode (almost) all changes made by the user are reverted.

Data charts

After leaving Manual edit mode all changes made by the user are reverted apart from the following exceptions:


- Changes to color of data points (e.g. a section of a bar)
- Changes to shading of data points
- Any changes to the category axis
- Changes to axis settings (the PPT axis will need to be inserted in Manual edit mode, later the EC axis will need to be toggled on and off in charts mode)
- Changes to gridlines in the chart.

2.4.6 Configuring Axis

In **Properties** you can insert a primary axis (as well as a secondary axis). Once you have selected an axis, you can either scale it automatically, or enter a value manually for a minimum as well as a maximum for the axis scale (Figure 84).

Bar width (%) Font size 12 ~ A A 85% Show Legend ₹G▼ 🗹 Sh 1 Vertical (Value) Axis Show value axis Horizontal (Category) Axis Minimum Apply to all charts on slide 0 Auto Maximum Change Customizing 220 Redraw Chart Auto Stens Manual edit mode 20 Auto 🐼 Properties \land 🔳 Data \land 🐺 Edit Data

Figure 84: Axis configuration



In addition, you can adjust the text formatting of the axis labelling by clicking on the respective axis. You also have the possibility to change the scaling of the axis. The labelling can be shown in multi lines. **(Figure 85)**.

With empower Charts, axes can also be designed flexibly. To flip the axis direction, you can simply click **Properties** and **Vertical (Value) Axis**. Here you can set the option **Reverse Axis Direction (Figure 86)**.

This automatically reverses the axis direction of the chart (Figure 87).

Figure 85: Configuring scaling of axis




Figure 86: Reverse axis direction




Figure 87: Adjustment of chart

Conversely, the same behavior applies to bar charts and their Horizontal (Value) Axis.



empower Charts also allows the use of a date axis. If you aim to use one, select the desired chart and click on **Data** in the Action Bar and then on **Edit Data**. In the Excel table that opens you will then have the ability to enter the date values into the corresponding cells for the axis of your choice. It is important that these values have the same date format as Excel (e.g. 07/01/2018) and that this date does not function as a table header (Figure 88).

	А	В	
1		Series 1	
2	01.01.2012	100	
3	01.01.2013	200	
4	01.01.2014	250	
5	01.01.2015	200	
6	01.01.2016	150	
7			

Figure 88: Excel date format




Figure 89: Configuring date axis




Figure 90: Chart scale settings




Figure 91: Adjustment of charts with breaks

Once you have changed the values of the axis to a date format in the Excel, you can close the Excel table. Once you click on the axis labels, you will be provided with further options in **Properties**. You can set the time frame to be displayed on the axis by setting the start and end dates manually or by selecting the dates using the date picker. In addition, select if you want the time steps as days, months, or years. Lastly, you can change the **Date Format** using the relevant dropdown menu (**Figure 89**).

2.4.7 Same Scale and Size for all Charts

In order to aid comparison of charts on the same slide, it is possible to match the scale and size of the charts. To do so, select a chart on the slide and click **Properties**. Afterward click **Apply to all charts on slide**. You can then choose between applying the **font size** of the selected charts for all the charts on the slide or applying the **scale and size** of the selected chart for all the charts on the slide (**Figure 90**). The matching to height orients itself to the highest chart on the slide.

Charts with breaks can be matched to other charts with the function **same scaling and size (Figure 91)**. This ensures that the scales of the axes are identical and the charts appear more uniform.

Tip: Always apply the **same scale and size** function to the chart, which has the smallest scale, i.e. where a certain reference value (e.g. 100) is displayed the smallest.

2.4.8 Change Customizing

If there are multiple customizations set up in empower Charts, it is possible to change to a different design or convert individual charts. A customization contains information such as fonts, colors, or even axis settings.

To change to a different customization, click on the chart and then on the button **Properties** and then on **Change Customizing**. A new window will open which will provide all available customizations. Select the desired customization and confirm your selection by clicking **OK (Figure 92)**.


To change the whole customization of empower Charts, e.g. to change the appearance of every newly created charts, click on the button **More** in the menu ribbon and then on **User Settings (Figure 93)**. A new window with a dropdown menu will open in which you can set the new customization. Confirm your change by clicking **OK**.

2.4.9 Reset Point Color and Borders

Under the **Properties**, the **Reset Point Color and Borders** function can be selected (Figure 94). If you select this function, the colors and borders of the current chart are reset to the default set in the customizing.

Change Customizing	×
Change Customizing	
Please select one of the available customizings:	
Customizing blue 1 (default)	\sim
Customizing blue 1 (default)	
Customizing red 1	

Figure 92: Change customizing





- 💾 Apply to All empower Charts on Slide
- Li Change Customizing
- C Redraw Chart
- A Reset Point Colors and Borders
- 🧤 Manual Edit Mode

Figure 94: Button Reset Point Colors and Borders

2.5 Chart Features

2.5.1 Growth Arrow

A growth arrow displays the growth between two data points. In order to set up a growth arrow, click on **Lines** in the Action Bar and select **Growth Arrow** (Figure 95).

In addition, an extra window opens with a mouse click on the growth arrow, (Figure 96), by displaying and changing additional settings. These settings can be made and adjusted at any time. In addition, you can decide, which labelling type you prefer (percentage, absolute, or both) and if an ellipsis is to be placed around the value. You can also drag and drop the growth arrow to the desired data points. Via **Esc**, you can exit and close the arrow settings windows at any time.

If you would like to make adjustments at a later stage, simply go to the settings and click on the growth arrow. The selection area is now displayed again, where you can change the settings of the growth arrow. If you want to delete the arrow from the presentation, select the arrow here as well and use the key **Del** or click **Delete**.

You can also influence the height of the arrows by holding and moving the desired arrows with the mouse. As a result, two overarching growth arrows can also be fused into each other (Figure 97).

Growth Arrow	
CAGR Arrow	
Delta Line	
Value Line	
🛹 Value Axis Breaks	
Category Breaks	>
Show Connectors	
🗱 Show Gridlines	lacksquare

Figure 95: Growth Arrow

Label type		
%	Value	% (Value)
Value (%)	Custom Custom 🖋	
Display Ellipse		•
Reverse arrow direction		₹
Reset position		9

Figure 96: Growth Arrow




Figure 97: Overarching growth arrows

2.5.2 CAGR Arrow

A CAGR (Compound Annual Growth Rate) arrow displays the annual average growth rate of the time period between two data points. To add a CAGR arrow click on **Lines** in the Action Bar and then select **CAGR Arrow**. Now a selection window opens again where settings can be made and you can simultaneously select the two desired data points via Drag & Drop (Figure 98). Similar to the growth arrow you can make changes or delete the CAGR arrow by clicking on the element.



Figure 98: CAGR arrow settings

2.5.3 Delta Line

The delta line shows the percentage or absolute difference between two data points. To add a delta line, click on **Lines** in the Action Bar and select **Delta Line (Figure 99)**. Now a selection window opens again where settings can be made and you can simultaneously select the two desired data points via Drag & Drop. In addition, you can decide, which labelling type you prefer (percentage, absolute, or both). And if an ellipsis is to be placed around the value. In order to delete the delta line, simply select it and click the Delete button.

2.5.4 Value Line

This feature displays a horizontal value line into your chart. In order to set up a value line, click on **Lines** in the Action Bar and select **Value Line (Figure 100)**. Now a selection window opens again where settings can be made and you can simultaneously select the two desired data points via Drag & Drop. In addition, you can label the value line. To adjust or delete the value line, simply select it make the appropriate changes or click the Delete button to remove the line from the chart.

× Delta Line				
Label type				
%	Value	% (Value)		
Value (%)	Custom Custom 🖋			
Display Ellipse				
Reverse arrov	₹			
Reset position Display on axis side		9		
o spilay off a				

Figure 99: Delta line




Figure 100: Value line



2.5.5 Insert Breaks

Breaks allow you to truncate data segments, e.g. to be able to better display smaller columns.


To add breaks, click on Lines in the Action Bar and select Value Axis or Category Break (Figure 101).

A further window will open in which you can set new breaks (Figure 102). The width (the hidden value section) of the break can be adjusted automatically or manually.

If you click on **Automatic**, automatic break logic will be used, which calculates the size of a break so that the expressiveness of the chart is optimally balanced. Individual series can also be explicitly excluded (**Figure 103**).

Sometimes you may use data in a chart that differs strongly in size. This may result in columns with lower values to be displayed next to columns with a high value which can result in a confusing chart. Breaks can help to maintain readability.

To the left is an example of a chart without a break, while the right chart has a break inserted:



Growth Arrow	
CAGR Arrow	
Delta Line	
Value Line	
🛹 Value Axis Breaks	
Category Breaks	>
Show Connectors	
Show Gridlines	\bullet

Figure 101: Select Break

🗜 Manage Breaks		\times
Breaks		
Automatic		
Manual		
None		ł
Series included in automatic calculation for breaks:		-
✓ Product A		
✓ Product B		
✓ Product C		
✓ Product D		
✓ Product E		
OK	Cancel	

Figure 102: Inserting breaks

Series included in automatic calculation for breaks:

Series 1

Series 2

Figure 103: Insert series automatically



Also, when selecting category break, a popup window will open, where you can set appropriate breaks (Figure 104).

Category Break

Please select break position					
2016	2017	2018	2019	2020	
			OK		

Figure 104: Set category break



Figure 105: Show Gridlines

2.5.6 Gridlines

The editing of the gridlines is only possible in Manual edit mode. This can be activated as described in 2.4.6. If the Manual edit mode is activated, all settings of the lines, such as color or width, can be set manually. When you exit Manual edit mode, all settings are applied. However, if the gridlines are disabled and re-enabled, the settings are reset to Default (Figure 105).

The manual editing of the gridlines does only work for charts which have value axes.

The gridlines can also be set manually in Flex-Customizing. This is where the PowerPoint logic regarding light background and dark font applies, and the other way around.

2.6 Converting Charts

There is a possibility to convert a native PowerPoint chart or a chart created with the software think-cell[®] to an empower chart.

If you have installed empower[®] Slides additionally, you can also convert a chart by using the **Apply** function if an empower Chart is saved in the chart templates folder of the library. To apply the format of an empower Chart to a regular chart, simply select the chart on the slide, and the select the empower Chart in the library folder. Now click **Apply** (Figure 106).

The same method can be used to convert existing empower Charts to other empower Chart types. Please note that only charts that use a similar data structure in their underlying Excel tables can be converted. A column chart, for example, can be converted to a stacked bar chart. A stacked column chart, however, cannot be converted to a waterfall chart.




Figure 106: Converting with empower $\ensuremath{^\circ}$ via Quick Access pane

2.6.1 Native PowerPoint Charts

To convert a native PowerPoint chart, simply select the chart you wish to convert, and click on **empower Chart**, the same way you would when inserting an empower Chart. Select the desired chart type, and the chart will convert accordingly (Figure 107). The previous chart type is stressed through a border.




Figure 107: Convert chart

Convert this chart





Figure 108: Convert to empower chart



Alternatively, you have the possibility to convert a native PowerPoint chart

2.6.2 think-cell[®] Charts

To convert a chart created with think-cell^{®1}, you have multiple options. Firstly, you can select a think-cell[®] chart and convert it like native PPT charts, provided that the software think-cell[®] is not activated (Figure 109). The transfer of colors, percentage values, hatches and broken Excel-Links etc. is possible.

It should be noted that the function for converting think-cell[®] charts is still in a beta phase and will be further optimized over the next versions.

2.6.3 Converting Multiple Charts

Clicking on **More** and then **Convert charts** you also have the option to convert all the charts on the slide or in the entire presentation at once (Figure 110).

When you convert a slide, it is duplicated first, then the first copy performs the conversion. You have the second copy as a backup to compare whether the conversion worked well. When you convert a presentation, an unsaved



Figure 109: Convert think-cell® chart



Figure 110: Convert multiple charts

¹ think-cell[®] is a registered trademark of think-cell Software GmbH.



copy of the presentation is created and the conversions are performed on that copy. Thus, you have the possibility to check the result and do not have to change the original.

This feature is in a permanent beta phase (because this feature is dependent on a different Software) and results should be checked manually and optimized if necessary.

Please note:

If it comes to problems within the converting process, a warning box will appear next to the converted chart.

2.7 DeepL Translation

If empower[®] Slides is installed and the empower[®] Slides function is activated for DeepL² translations, the translation will also translate empower charts accordingly. However, no data in linked Excel files is changed.

To translate charts, you can simply click on the **Translate** option in the empower Ribbon, which translates the corresponding slide (**Figure 111**).



Figure 111: Translate empower charts

² DeepL is a registered trademark of DeepL GmbH.

Special Charts

3.1 Waterfall Chart



Adding a waterfall chart is performed similar to other empower charts, however its data entry differs slightly.

In an Excel table a \mathbf{x} is entered into the column that is to correspond to the sum of data of the previous data (in previous columns). To indicate a column sum, the value of one or more series has to be set to \mathbf{x} for this column. If only one series value is set to \mathbf{x} , the overall sum (over all series) is calculated.

Two or more series values set to x indicate that the per series sums are calculated and displayed. If any row of a column contains the keyword <new>, a new waterfall starts with the upcoming column. Sum columns are calculated separately for each new waterfall.

In addition, it is also possible to change the direction of your waterfall chart. This way waterfall charts can also be set up in reverse. To change the direction of your chart, simply click in the button **Data** in the Action Bar and select **Left to right** or **Right to left (Figure 112)** For laying waterfalls, you can choose between **Bottom to top** or **Top to bottom**.

You can also display multiple waterfalls after one another. To add a new waterfall within a chart, click **Data** in the Action Bar and select **Edit Data**. In the corresponding cell of the Excel table enter the keyword **<new>**. The new waterfall chart will then begin at the next column while the sum starts at zero.

In waterfall charts, series can be set to or below the regular waterfall levels (e.g. to indicate a possible deviation or in order to take out not yet final numbers of a sum). To set this, a check mark can be set under the item **Series** in the Action Bar at on the waterfall (Figure 113). The corresponding chart is thus directly adjusted.

There is now also the possibility to adjust the orientation of the label, e.g. a horizontal chart (Figure 114). This can make reading easier, especially for multi-line labels.




Figure 112: Edit waterfall direction

Convert this chart V 👌 Use Excel Colors 💽 🛈						
Series	On top of waterfall	Fill Color	Fill Color if negative			
✓ Series 1		<u> </u>	⊘n ∨			
🕂 Lin	🕂 Lines 🔨 📑 Data Labels 🔿					

Figure 113: On top of waterfall




Figure 114: Text orientation

3.2 Circle Charts

Insert a circle chart in the same manners as you would insert any other empower chart. What makes a circle chart different is that its user is unable to use chart features such as Lines; also, other settings such as Data Labels are not possible.



Click on **Data Labels** in the Action Bar in order to activate data labels of the chart. In **Value label** you can activate the value of the circle chart by toggling the **Show Value** slider. You can also set the number format as well as display the percentage of the value. You also have the possibility to set the decimal place of your percentage. Finally, you have the option to display the category names by activating **Show Series Name (Figure 115)**.

In order to improve legibility of data labels of a background using the same color, you can insert transparent backgrounds for labels by activating **Show data label background**. In addition, you can reset the data labels to their original formatting by clicking **Reset Data Labels (Figure 116)**.

Pie charts can be rotated. This is done by moving the rotation symbol (Figure 117), which appears independently in a created chart. The chart can be rotated in any direction.

In addition, individual pieces can be pulled out of the pie chart (Figure 118). This works by clicking and dragging with a mouse.




Figure 115: Data label settings




Figure 116: Data label settings




Figure 117: Pie chart rotation




Figure 118: Pull out a piece

3.3 Line Charts



The line charts can be inserted analogously to the other charts from empower[®]. Their difference lies in their ability to allow additional adjustments for lines and markers.



With a single click on the line, you can set a line's color, thickness, and type (Figure 119).




Figure 119: Line formatting

Font size	12 🗘	
Apply font size to all charts o	on slide	
Smooth Line		
Markers	_	
E Show Legend	•	
Primary		
Auto-Scale	_	
Same Scale and Size for all Chai	rts on Slide	
Manual edit mode		

Figure 120: Smooth line setting




Figure 121: Marker editing options




Figure 122: Freeze labels

You can also smooth the lines of your charts. To do so, select the line and then click **Properties** in the Action Bar above the chart, then click **Smooth Line** (Figure 120).

In order to edit the markers of data points, simply select a marker. In the overly that opens you can now select from fill colors, type, as well as size of the element (Figure 121).

For visualization reasons, you also have the option to freeze the line chart labels below the point (Figure 122). To do this, you can simply select the labels by pressing **Shift** and drag them to the position below.



3.4 Butterfly Chart

To visually contrast two series, you can use the Butterfly chart (Figure 123). To do so, complete the following steps.

First, click **empower Chart** and select as a base **Stacked Bars** for a vertical Butterfly chart (Figure 124).

Here, it is important that you enter negative values in the series that you want

Then go to Labels, select the option Show Absolute Values and hide Show

on the left to achieve the desired shape of the chart (Figure 125).




Figure 123: Butterfly chart

Add new chart				
Waterfall	-21	$\{ C \}$	$\Gamma(A)$	$\mathbf{\hat{D}}\mathcal{A}$
Waterfall Bar	\mathbb{Z}^{2}	\mathbb{P}^{2}	54	24
Column	ah			111
Bar	-			
Line	\sim	\gg		
Mekko		ėė.		
Circle	0	١		
Other		••••	*	

Figure 124: Select the chart

ئ	c> ⊞							
χĘ	à 🗈 🖻 ダ 🔮	× x	E 🍫 🖽		1			
B2	•	× ~ .	fx -100					v
	А	В	С	D	E	F	G	E
1		Point 1	Point 2	Point 3	Point 4	Point 5		L
2	Series 1	-100	-200	-150	-200	-220		
3	Series 2	200	150	200	190	200		
4								
5								
6								Ŀ
۹.							- F	

Figure 125: Edit Excel data




Figure 126: Adjust settings

3.5 Mekko Chart

Column Sum (Figure 126).

To illustrate a numerical value depending on at least two dimensions, Mekko charts are particularly suitable.

A distinction is made between two variants.



The **Marimekko** chart is to be understood as a two-axis stacked bar chart in which both axes represent 100% (Figure 127).

Marimekko




Figure 127: Marimekko chart




Figure 128: Column Mekko

Waterfall	- 71-	- CL	Ľи,	ЪA
Waterfall Bar	- 22	\mathbb{P}^{2}	5	2.
Column	ah	:::::		$\mathbf{H}\mathbf{H}$
Bar	1			
Line	\sim	$\times\!\!\!/$		
Mekko				
Circle	0	١		
Other	1999		*	

Figure 129: Select Mekko chart

μ [nsert Delete	Format	t 🐒 🐔 Table	🗄 🔜 🕜 Help		
A2	•	× ~ .	fx Width				•
	А	В	С	D	E	F	Ē
1		Product A F	Product B F	Product C			l
2	Width	7200	2830	1890			l
3	Area A	1300	2100	420			
4	Area B	4200	320	170			
5	Area C	1700	410	1300			
6							
7							
8							
4						Þ	

Figure 130: Edit data

The **Column Mekko**, on the other hand is to be understood as a two-axis stacked bar chart, in which, however, the axes do not represent 100% in contrast to the Marimekko (**Figure 128**).

To create such a chart, follow these steps.

Open empower Chart and select one of the two Mekko charts (Figure 129).

You can then customize the data under **Edit Data (Figure 130)**. The data structure initially corresponds to that of a normal 100% or normal column chart, but with the difference of the additional "width row", which determines the relative width of the individual columns. It is often technically desired that the width is equal to the sum of the column values, so this is already preset.



When using the button **Transpose**, you have the option to swap rows and columns (Figure 131). Note that the Width line is immutable.

ণ্ড ∡		• ••• •× •×		44 <u>5</u> 21	42 a z 🕜	×
		nsert Delete	Format	Table	Help	
A2	-	×	<i>f</i> _x Widt	h	\	~
	A	В	С	D	E	F
1		Product A	Product B	Product C		
2	Width	7200	2830	1890		
3	Area A	1300	2100	420		
4	Area B	4200	320	170		
5	Area C	1700	410	1300		
6						
7						
8						
4						Þ

Figure 131: Specifics of the chart

Waterfall Direction

left to right
right to left

Series Order in PPT

as in Excel
reversed

Excel-Link

Figure 132: Create Excel-Link

Alternatively, you can link the chart to an Excel file under **Data** and **Excel-Link** (Figure 132).

More information can be found in Chapter 2.2.3 External Excel Data.

Gantt chart

4.1 Inserting Gantt charts

To insert a Gantt chart, click on the **Insert** Tab in the PowerPoint menu, navigate to the empower Charts section and click on the button **Gantt chart** (**Figure 133**). You can now define the area in you want to insert the Gantt chart by clicking and drawing the cursor across the slide. This step can be interrupted by clicking **Esc**.

If you wish to insert a Gantt chart directly into a placeholder on the slide, select the respective content or chart placeholder and click the button **Gantt chart**.

Once you have set the area in which you wish to insert the Gantt chart, a settings window will open (Figure 134). Here you can set the length of time to be displayed by the chart, as well as header settings and date format, if it is to differ from the default settings (1).

For more details on user settings, please refer to **Chapter 1.4 User Settings**.

In addition, you can also set how many phases and rows are to be displayed in the chart. Further phases and rows can be inserted directly in the chart upon requirement (2). In addition, up to 2 note columns are available on the right side. In these, you can insert text as well as interactive symbols (traffic lights, Harvey balls, etc.) (2).

To change the size of the Gantt chart at a later date, select the chart and the click and draw the endpoints to the desired size. Alternatively, you can alter the size via the native PowerPoint function. To do so, select the chart and navigate to the **Format** tab in the PowerPoint menu then change the chart's height and width. Once you reduce the size of the Gantt chart you may receive a notification that the font size has been automatically adjusted. If this was not desired, you have the option to simply click on **Undo changes**.

4.2 Adjusting the date section

By default, the Gantt chart displays a period with the current date. To adjust the time period, click on the date above the Gantt chart (**Figure 135**).




Figure 133: Insert Gantt chart

Gantt Char	t					
Timeline						
From			То			
30.12.2019			··· 07	.04.2020		
Header Set	tings					
Use recomme	nded Header	Setting	5		On	
Year	2016					2017
Quarter	🖄 Q4					Q1
✓ Month	🕭 Nov Dece	mber				January
✓ Week	48 48	49	50	51	52	1
Day	🖏 2220 1 2 2 4	5 6 7 8 9 10	11 12 13 14 15 16 1	7 18 19 20 21 22 23	24 25 26 27 28 29 3	0311 2 3 4 5 6
Maximum hea	der fent sine					
12 ~	der font size					
12 ~						
12 × Regional setti	ngs (headers	and date	e format):		
12 × Regional setti		and date	e format):		
12 Regional setti English (Unit	ngs (headers	and date	e format):		
12 Regional setti English (Unit	ngs (headers ed Kingdom)	and date):		
12 V Regional setti English (Unit Items Show Pha	ngs (headers æd Kingdom) ses	and date)n):		
12 V Regional setti	ngs (headers æd Kingdom) ses	and date)n):		
12 V Regional setti English (Unit Items Show Phases	ngs (headers eed Kingdom) ses	and date)n):		
12 V Regional setti English (Unit Items Show Phases 2	ngs (headers eed Kingdom) ses Rows p 3	and date)n):		
12 V Regional setti English (Unit Items Show Phases 2	ngs (headers ted Kingdom) ses Rows p 3	and date)n): Off		
12 V Regional setti English (Unit Items Show Pha Phases 2 Notes Area	ngs (headers ted Kingdom) ses Rows p 3 3 column	and date)n			

Figure 134: Gantt chart settings



Figure 135: Adjusting date section

An integrated selection window will open in which you can adjust the dates for start and end, either by selecting an item in the calendar or by directly entering a specific date (Figure 136). Here you can change the date range as desired without losing any data.

In addition, you have the possibility to change Header Settings on the right. Here you can either use the recommended header settings or define the formatting of the header yourself. Here you have the possibility to activate or deactivate the time specification (day, week, month, year) as well as adapt the settings of the labelling of your Gantt chart individually (Figure 137).

You can choose between Numbers and Week days to display days in the header, as well as display just the work week (Mo.-Fri.). The labelling of the months can be displayed completely or in truncated form, in either Letters or Numbers. Setting the labeling option to Automatic will choose long, short or letters depending on the size of your Gantt chart. It is possible to display quarters as Short, Number or Company. The latter option is a setting to display the time specification of quarters as defined by your company. It is also possible to display each time unit as vertical lines in the Gantt chart, which are automatically inserted. To do so, simply select Show vertical lines.

You can further change the minimal font size of the Gantt chart, the language of the header as well as the date format (Figure 138). A click on OK will take you back to your Gantt chart that will then have adapted in accordance to your settings.



Figure 136: Calendar view




Figure 137: Adjusting header settings




Figure 138: Setting language and date format

4.3 Edit Scale

A Gantt chart displays phases on the line level that are divided up into rows. These rows contain Tasks or Milestones.

Phases and rows can be renamed, moved according to requirement, and phase arrows can be hidden, revealed or deleted. You can add a new task or milestone to every row. To do so, hover over the row until a plus symbol (add) appears and then select either to add a Task or a Milestone. Your project plan will then update in accordance to your settings (Figure 139).



Figure 139: Adding task or milestone



The height of the task blocks, as well as milestones, is set automatically. However, changes can be always done via the action item **Properties** (Figure 140).

In addition, you are able to enlarge or shrink the region in which phase and line labels are displayed. To do so, move your cursor to the right of the region until a bilateral arrow. You can then adjust the width of this section while holding the left mouse button.



Figure 140: Task blocks height

4.4 Adding phases or rows

A pop-up menu will appear if you hover the cursor over the bottom end of a phase or row. In doing so you will be able to add a further phase or row to your project plan (Figure 141).




Figure 141: Adding a new row

4.5 Embedded Excel table

As with empower Charts, you can edit the data of a Gantt chart using an Excel table embedded in the chart.

To do so, click on **Edit Data** on the Action Bar above the Gantt chart. As usual, the built-in Excel table opens and you can edit, add, remove and select the respective ranges (Figure 142). If you have a **Notes Area** in PowerPoint displayed under **Properties** in the empower Action Bar, you can edit it from Excel.

In the Excel table of Gantt charts are datalables of phases, bars, milestones as well as highlights and datelines organized. If the inserted task should have a text and date, it will be visible in the Excel table (Figure 143). The Date can also be generated automatically, if you enter <date> to the related field in the Excel. The beginning and end date of the task are also shown in the Excel table.

							301		August	
19 21	0 21	22	23 24	4 25	26	27	28 25	3		Notize
5 e 🐺								×		
0.0	♦ + 1									
Cipboard	inset	Delete Forma	Gave							
A2	* I ×	V fe 1	1					~		
A	В	с	D	E	F	G	н			
ID	Туре	Name	Start1	End1	Start2	End2	Notes1			
2 1	Phase	Phase 1								
3										
4			_	_	_	_				
			_		-	_	_			
3 7					-	-				
8	Row	Zele 3								
	A Cystoard A A A A A A A A A A A A A A A A A A A	A B D Type 1 Phase 2 Row 4 Row 4 Row 5 Phase 5 Row 7 Row 7 Row	A B C C F T N S Image A B C C D <thd< th=""> D <thd< th=""> <thd< th=""></thd<></thd<></thd<>	D A F IV F D <thd< th=""> D D D</thd<>	Dir. C. C. 0 + − + • ∞ 2 >> Content task Face Face Face 2 → A B C D E 0 Type Name Pase 1 2 B C D E 0 Type Name Cast D E D E E E C D E E E E C D E	B C C D C D C 2 - - - A I I I 2 - - - A I	0 0	Image Construct Set of the first set of the set of th	0. 0. 0. 0. 1. 0. 1. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	0 0

Figure 142: Edit data

ۍ کم	Clipboard	insert D	Celete Format	Gantt				>
A1	*	× v	fr ID					
	А	В	С	D	E	F	G	
1	ID	Туре	Name	Start1	End1	Label1	Start2	
2	1	Phase	Phase 1			<date></date>		
3	2	Row	Row 1					
4	3	Row	Row 2	10/18/2021	10/31/2021			
5	4	Row	Row 3	11/5/2021	11/8/2021			
6	5	Phase	Phase 2			<date></date>		
7	6	Row	Row 1					
8	7	Row	Row 2					
9	8	Row	Row 3					
10								
11								

Figure 143: New Excel Format



4.6 Excel-Link

In addition to using integrated data, you can also use external Excel data sources. To do so, click **Excel-Link (Figure 144)**.

A new window opens where you can open data either from an Excel file (onpremises or on a network drive) or from an Excel file from your SharePoint/OneDrive (Figure 145). Here you can select the desired area that you want to display in the Gantt chart. The easiest way is if you already have the Excel file open. Open files are always offered as the first option in the window.

After selecting a file, you can select the desired area that you want to display in the Gantt chart (Figure 146). You can then make further settings in the window for linking.

As with the other charts, the Gantt chart also offers the possibility to copy and paste selected areas of the Excel table.

For more details on how the Copy & Paste function works, see Chapter 2.2.2 External Excel Data.

Here you can also select the option **Automatically adjust Gantt period**. When this setting is enabled, the Gantt chart period is automatically adjusted to the earliest and latest dates from the data range (Figure 147).

For more details on Excel-Links, see Chapter 2.2.2 External Excel Data.

4.7 Multi-Columnity

In the areas left and right within a Gantt chart (task description and notes) tab stops can be used to achieve multi-columnity. The heading line for the task column can be used to define column titles (Figure 148). The concept of multicolumnity with tab stops can be used in the text columns to the left and to the right of the Gantt chart.

Gar	ntt				🖍 🛛 Exe	cel-Link	
11.05.2021	-06.08.2021	+ Mar	kers ^	Properties	∧ III Dat	a 🗠 👿	Edit Data
Q		Mai		1		Juni	0
	19	20	21	22	23	24	25
Phase 1							
Zeile 1							
Zeile 2							
O Zeile 3							

Figure 144: Create Excel-Link

÷ u	ink Excel range			×
Lie	atalink to Excel ik the chart to an Excel rang d column headers for the d	e. The Excel file can be stored in the file system or in SharePoint/OneDrive. Make sure to also atal	link ro	N
	Open local file	Paste SharePoint URL		
	Browse			
		OK Cano	el	

Figure 145: Connect Excel file

				0			0	н	
ink to Exal a Cett-Destinan Analogue De Frai Salanche dont interfa solar erin Steelbrit Stabile. Mais se train	1 80	7424	Name	Start1	End1	\$1012	2002	Start3	60
e Garts-Chartris en Bool nange. The Bool file can be shored in the file system on in ShanePoints/DreDrive. Make sure to also a and estume headers for the date!	2 1	Phase	Phase 1						
	32	Row	Zele 1	525/2821			8/29/2021	7/8/2021	71
la	4 3	Flow	Zolo 2	6/15/2021	7:5/2021	710/2021	7/22/2021		
laha 🖋	5 4	Pow	Jule 3	6/28/2821					
nor l	65	Phase	Phase 2						
Opening Scot.	7 8	Row	Zele 1	6/73/2821	200001				
chandrener.	0 7	Plow	Z Telest de	to range		1 1	21/2021		
_	4 B	Row	2	ed the data ran	-	for the second second			
velocely edged Gardt period is a convertically edgeded for the context.	10			10000000					
sea, then the period at the carrie chart is automatically adjusted to the carbon.	12								
h data automatically on open	12				04	Cancel			
n data second carly on open	18								
	14								
ativ path 💿 No	15								
	18								
	17								
	18								
	19								
	29								
	25								

Figure 146: Select data range

5/26/2021-	7/29/2021	$+$ Markers $^{\sim}$	🖏 Properties 🗠	🖽 Data 🗠
	May			June
	21	22	23	24
Phase 1	5/26/2021	- 7/24/2021	-	
Zeile 1				

Figure 147: Adjust Gantt period automatically



Figure 148: Create multi-columnity

The header textboxes of these columns need to be set to left-aligned.

You can create multi-columnity by dragging the left column wider, then define the column headings, and then add the corresponding content within the rows. The tabs must be created using the **Tab key**.

The text alignment in the notes columns can be changed (Figure 149).

The set text alignment always applies to the whole notes column.

The column heading can be configured separately.



Figure 149: Text alignment in columns

4.8 Editing Phase Arrows, Task Bars and Milestones

Hover your cursor over a task arrow in order to edit its color or font (Figure 150). Several tasks and milestones can also be marked and moved together. When drawing task blocks, the details of the current block (start, end, duration) are displayed. It is also possible to move labels of multiple tasks at the same time. If a task extends beyond the displayed data area, the item Show overflow arrows can be selected under Properties.

Objects in the Gantt chart can be copied and moved individually (**Figure 151**). Tasks and milestones can also be copied and moved together, even if they are not on the same row. If you press Shift on the first and last object you want to move, all objects in between will be moved and the margins between all objects are kept. Alternatively you can also select multiple objects while holding the **Ctrl key**. You can move them Right-Angled by pressing **Shift**. In addition, objects dock to each other when moving by default, unless you press **Alt**. Objects can be moved freely by pressing **Alt** or using the cursor keys.

When editing a task or milestone you also have the ability to display the bar as a dashed frame without filling, you can completely delete, move it, as well as change its size. In addition, you can choose between different shapes (Figure 152).




Figure 150: Editing phase arrow




Figure 151: Move Objects




Figure 152: Editing task/milestone



Finally, you have the option to change the shape and color of the symbol used to represent the milestone (**Figure 153**). The labelling of this milestone can be moved with the help of snapping points. To do so, simply click on the milestone to make a snapping point appear. Select it and move it to the desired location while holding the mouse button.

If the labeling of the phase goes beyond the limitation of the Gantt chart, it may be that the legibility is impaired. For this purpose, the background of the label can be adjusted by means of the button **Show label background** (Figure 154).

4.9 Add Data to the Scale Indicator

In the calendar view of the Gantt chart you can select different display options. To do so, click **Add** in the Action Bar above the Gantt chart. A drop-down menu will appear offering you different options to choose from **(Figure 155)**:

- Holidays
- Date Line
- Highlight
- Delay
- Connector.



Figure 153: Changing milestone shape



Figure 154: Background of the label



Figure 155: Markers

4.10 Adding visualizations

4.10.1 Holidays

If you wish to display school holidays in your calendar click **Add**... in the Action Bar and select **Holiday**. A window will open in which you can select the desired holiday. Clicking **OK** will add the dates of the holiday to the calendar of your project plan which will then be highlighted in color.

In addition, you can add, edit or delete personalized holiday categories and calendars via the menu bar at the bottom left (Figure 156). You have the possibility to export the data as an XML file as well as import data of other users.



Figure 156: Setting holiday category

4.10.1 Date line

A further feature of the Gantt chart is the **Date Line**. It can be placed at any location within the project calendar in order to signify that a certain phase, task or milestone needs to be reached or completed by a specific date. In order to add a Date Line, click **Add...** in the Action Bar and select **Date Line**. A vertical dotted line will be inserted into your calendar, which can be moved to any date (Figure 157).

A text box is located at the bottom of the line, which contains the word **Date** (Figure 158). Click it to change the word to your requirements. Furthermore, the appearance of this text can be changed in terms of font color and size.

4.10.1 Highlights

In addition to the options of **Holidays** and **Date Line** empower Charts allows you to **add highlights** to your calendar, e.g. for a specific time period of a project or vacation (Figure 159).

Below the highlight is a text box which provides the same editing options as that of the Date Line. In addition, you can move or extend the highlight manually to any date. To do so, move your cursor below the highlighted section in order to display the context menu that allows you to do so.




Figure 157: Date line




Figure 158: Changing date line label




Figure 159: Inserting highlight



4.10.2 Delays

Sometimes a project encounters delay. empower[®] Charts allows you to add delays to your project calendar. Click **Add**... in the Action Bar and select **Delay** to add a delay to your calendar. An entry field will appear in which you can specify the begin and end of a period, alternatively you can enter these dates via the calendar view. Confirm the changes by clicking **OK** (Figure 160).

The delay in your project plan will be automatically inserted into your Gantt chart. A click on the enlargement arrow allows you to hide or display the hatched area as well as any labelling (**Figure 161**). Here, you also have the ability to change the color as well as completely remove the enlargement from the Gantt chart.

Tholidays Date Line Highlight Highlight Delay From 03.11.2017-28.02.2018 + Add... 2017 Q4 44 45 46 47 48 49 OK Phase 1 Zah 2 Zah 3 Zah 4 Zah 5 Zah 7 Zah 7 Zah 8 Zah 9 Zah 1 Zah 1 Zah 2007 Zah 2007 Zah 2007 Zah 2007 Zah 2007

Figure 160: Entering delay dates



Figure 161: Adapting appearance of the delay



Various tasks can be connected using the connector. Select this feature via Add in the action bar (Figure 162).

This will cause circles to appear at the start & end points of each task you have already inserted (Figure 163). You can then choose which tasks you want to connect. Multiple connection of tasks is also possible.




Figure 162: Create Connector




Figure 163: Place Connector



If you have inserted a Connector, you can adjust it as you like. The connection can be secured via **lock connector (Figure 164)**. This also moves the tasks that are connected by lock connectors when you move a task. Also, the color, as well as the dash style of the connector can be adjusted.



Figure 164: Lock Connector

4.11 Properties

In addition to the **Date Range** and the **Add... button**, you can also click on **Properties** in the Action Bar. Doing so will open a drop-down menu which allows you to change a number of settings of your Gantt chart (**Figure 165**). You can change the font size as well as the height of the bars. A click on **Maximize font size** will automatically select the largest possible font for your Gantt chart. In some cases, it may be necessary to enlarge the bar width of your Gantt chart in order to display larger font sizes.

You can set a **Generic Mode** in order to display days or weeks in the Gantt chart without connection to a specific date format. You can also select **Show Overflow Arrows** and the task fields that go beyond the set range are supplemented by an arrow on the applicable task fields. You also have the option to display the individual **phases**, **phase arrows** or the **Note Area** individually as well as change to **Manual edit mode**. The width of the notes area can be adjusted in the region that displays the phase and line labels. To do so, simply move your cursor to the right until it turns into a bilateral arrow. Change the size of the region while holding the left mouse button. If you want to make manual changes to the Gantt chart, you can switch to **Manual edit mode**. Please note, however, that such manual modifications are usually lost when returning from manual mode.




Figure 165: Gantt chart properties

Finally, you have the option to set that the background is colored in alternating colors (alternating colors are set by default) or to highlight weekends in color (Figure 166).




Figure 166: Setting Gantt chart alternation

Gantt charts are fully translated when a translation is initiated via empower[®] Slides. (e.g. headings like month names).

Please note:

All manual changes to a Gantt chart will be lost as soon as you close Manual edit mode. This function should rather be used as a last step in editing a Gantt chart.